











DISCREET "FRONT OF HOUSE" GLUEBOARD FLY TRAPS

IGLU IGLU Shatterproof Finish: Color on request

IGLU is an odourless and silent fly trap that is professional quality and totally discreet. The free-standing IGLU can be shelf, wall or counter mounted and is ideal for commercial kitchens, homes, apartments, garden patios, balconies, mobile homes, camping trailers, etc

nomes, apartments, garacti patios, battornes, mobite nomes, camping traiters, etc			
Dimensions (L x H x W)	20 x 30 x 7.5 cm Weight: 1.2 kg		
Output Power supply	1x 20W (E14) 220V - 50/60 Hz		
Lamp tube Glue board	L20WE14A PL160x195		
Application surface Area	50 m ²		
Gluboard Electro	Gluboard		
Protection rating	ID20		

GLUETRAP 20 GT20i or GT20B		Shatterproof	Finish:	stainless steel	white
	trap. Designed with both commercial and domestic les, offices, retail outlets, restaurants and hotels to			-	-
Dimensions (L x H x W)	46 x 17.2 x 20.5 cm Weight: 1.2 kg				
Output Power supply	1x 20W (E14) 220V - 50/60 Hz				
Lamp tube Glue board	L20WE14A PL180x465				
Application surface Area	50 m²				/
Gluboard Electro	Gluboard			/	
Protection rating	IP20				

GLUETRAP 40 GT40i or GT40B Finish: Shatterproof stainless steel white A powerful, yet decorative wall mounted fly trap. Designed with both commercial and domestic situations in mind, including homes, balconies, offices, retail outlets, restaurants and hotels to name a few. Dimensions (L x H x W) 70.5 x 17.2 x 20.5 cm | Weight: 2 kg Output | Power supply 2x 20W (E14) | 220V - 50/60 Hz Lamp tube | Glue board L20WE14A | PL205x785 Application surface Area 80 m² Gluboard | Electro Gluboard IP20 **Protection rating**



INOX TRAP ITRAP301

Shatterproof

Finish:

stainless steel

A powerful, commercial and industrial fly trap that can be ceiling or bracket suspended or wall mounted. The INOX is ideal for supermarkets, commercial kitchens, food services and production facilities. A water resisting IP65 unit available on request.

Dimensions	(I ~ L ~ W)	
ו בווטובווסווום		

46.5 x 16 x 35.5 cm | Weight: 3.2 kg

Output | Power supply

2x 15W (43 cm) | 220V - 50 Hz T15WAES | PL363x456

Lamp tube | Glue board **Application surface Area**

80 m²

Gluboard | Electro

Gluboard

Protection rating

IP20



CAPTURE 30 CAPTURE301G

Shatterproof

Finish:

stainless steel, black side



Recognised for its flexibility, this unit can be counter mounted or ceiling suspended. The CAPTURE 30 is suited to service industry environments: retail shops, kitchens, offices, health and age care facilities, hotels, reception areas and schools.

Dimensions (L x H x W)

33 x 26 x 12.5 cm | Weight: 2.6 kg

Output | Power supply

2x 15W (28 cm) | 220V - 50 Hz

Finish:

Lamp tube | Glue board

TCLE015WS | PL195x310

Application surface Area

50 m² Gluboard

Gluboard | Electro

IP20

Shatterproof

Protection rating

stainless steel

With its unique, modern "low-profile" design, the MG blends in perfectly in commercial kitchens, offices, food service and production facilities, as well as the industrial, health and education sectors.

Dimensions (L x H x W)

MGI 30 MG301

49.5 x 28 x 6.5 cm | Weight: 4.1 kg

Output | Power supply

2x 15W | 220V - 50 Hz

Lamp tube | Glue board **Application surface Area** T15W | PL245x426

Gluboard | Electro **Protection rating**

Gluboard

IP20

80 m²



MGL 40 MGL40B or MGL40i

Shatterproof

Finish:

stainless steel





Dimensions (L x H x W) 49.5 x 28 x 6.5 cm | Weight: 3.3 kg

Output | Power supply Lamp tube | Glue board

2x 20W (E14) | 220V - 50/60 Hz

Finish:

L20WE14A | PL245x426

Application surface Area

80 m²

Gluboard | Electro Protection rating

Gluboard

IP20

Shatterproof

AGR 30 AGR30i

Designed entirely in stainless steel for the commercial sector. The AGR is ideal for use in the food-processing and chemical industries, for agricultural, wine-producing and horticultural operations to name

a iew.	
Dimensions (L x H x W)	48.5 x 29.5 x 15.5 cm Weight: 5.5 kg
Output Power supply	2x 15W (43 cm) 220V - 50 Hz
Lamp tube Glue board	T15WAES PL190x435
Application surface Area	80 m²
Gluboard Electro	Gluboard
Protection rating	IP21/IP54



stainless steel

IB00 IB00



Shatterproof

Finish:

51 x 16 x 30 cm | Weight: 1.8 kg

1x 20W (E14) | 220V - 50/60 Hz



color on request

The IB00 is a ceiling suspended or free-standing electric fly zapper. Available in black or white, this compact and decorative unit is ideal for domestic and commercial situations.

Dimen	sions (L	x H x W)	

Output | Power supply

Lamp tube | Glue board

Application surface Area

Gluboard | Electro

Protection rating

L20WE14EA

50 m²

Electro

IP20

F 20 FX20iBS

Shatterproof

Finish:

stainless steel, blue side

The F20 works very efficient due to the 360o radius light attractancy. Called FlyinBOX, offering European design and easy plug and play handling an ideal light for home or business.

Dimensions (L x H x W) Output | Power supply

Protection rating

26.5 x 26 x 12.5 cm | Weight: 3 kg

1x 20W (E14) | 220V - 50/60 Hz

Lamp tube | Glue board

L20WE14AS

Application surface Area 50 m^2 Gluboard | Electro

Electro

IP20

Finish:

stainless steel, blue side

F 40 FX40iBS



Gluboard | Electro

Protection rating

Shatterproof

European design and easy plug and play handling an ideal light for home or business.



33 x 26 x 12.5 cm | Weight: 3.6 kg 2x 20W (E14) | 220V - 50/60 Hz

L20WE14AS

120 m²

Electro

IP20

All units can be customised with laser-cut company logos, with a minimum order quantity. Made in France with 5 years warranty.



PEST IT PTY LTD

Address: 26 Mologa Road Heidelberg West VIC 3081

Tel: 1300 66 56 57 Mail: sales@pestit.com Web: www.pestit.com

SUPPLIER: